




KDHE Bureau of Air | Compliance and Enforcement Section CAAAG Update – SFY 2019 | Connie Ellis





Section Organization







Inspection Totals – SFY 2019

- Total of 672* inspections across 6 districts and 3 locals.
- There were 39 violations found during these inspections that warranted an informal enforcement (NON/LOW) or formal enforcement (CAO/AO).
- Approximately 6% warranted either informal/formal enforcement action
- *inspection total lower due to new inspectors and training.





Formal Enforcement Actions – SFY 2019

- Formal Enforcement Action is a consent agreement ("CAO")
 or administrative order ("AO").
- In SFY 2019, there were 24 CAO's executed.
- There was 1 AO executed.





Performance Testing – SFY 2019

- There were 135 performance tests conducted in Kansas.
 - Of this total, 27 (~20%*) were observed.
- There were 41 Relative Accuracy Test Audits ("RATA") conducted.
 - Of this total, 14 (~34%*) were observed.
- *testing observation numbers low due to 3 vacancies for 4 months.






Performance Testing – SYF 2019

 100% of performance tests are reviewed. Last year there was a backlog....






Performance Tests – SFY 2018








Performance Test –SFY 2019








RATA – SFY 2018







RATA – SFY 2019













Air Compliance and Enforcement Section ("ACES")

- Policy revisions by EOY 2019
 - Supplemental Environmental Program ("SEP")
 - Enforcement Policy and penalty matrix







KEIMS Update:

- Will have table with informational packet at conference
- Permitting and Compliance/Enforcement staff available for questions.
- KEIMS address on KDHE BOA website

KS Environmental Information Management System

- Create and Manage Permit Applications and Compliance Reports Online
- Kansas Environmental Information Management System (KEIMS) Information





Thank you/Questions



Connie Ellis

Section Chief
Bureau of Air - KDHE
1000 SW Jackson, Suite 310
Topeka, KS 66612
(785) 296-1556

Connie.Ellis@ks.gov